

THE ENGLISH ELECTRIC CO., LTD.

NELSON RESEARCH LABORATORIES
STAFFORD
MATHEMATICAL PHYSICS LABORATORY.

Report No. NS t 47
Date 31.10.55
Reference
Order No.

Telephone:—Stafford 700.

Front Sheet.

Data Sheet 1.

Figure Sheets S6/10131 and 10329.

DEUCE Subroutine Nos. 55 and 56 (D05 and D05/1)

Report by
S.J.M. Denison.

SUMMARY.

The attached document gives details of two DEUCE subroutines using the automatic divider for dividing one single-length number by another, with validity test, shift and round-off. They differ only in the allowable shifts. The dividend must not be numerically greater than the divisor, in either case.

The subroutines have been prepared, tested and copied into all instruction delay lines at N.R.L. Blackheath.

MATHEMATICAL PHYSICS LABORATORY.

NW

NELSON RESEARCH LABORATORIES
 STAFFORD E. E. CO. LTD.

NS t 47

Sheet No.: 1.

Description.

Division, using automatic divider, of single-length number by single-length number. Validity test. Shift and round-off after division. Dividend not to be numerically greater than divisor. Available in both upper and lower halves of delay lines.
 First Order.

Data.

a to be divided by b.

Result.

$c = 2^s \frac{a}{b}$ (14 ≤ s < 30 in D05 ; s = 30 in D05/1),
 provided that |a| < |b| or a - ^{ve}. if |a| = |b|
 Failure indication (buzzer) if this is not so.


Instructions for Use.

Stores Used.	14	15	16	21
Contents at Entry.	a	Link	b	-
Contents at Exit.	c	-	b	-
D05 Occupies.	m.c.'s 0-12 or 17, 18, 20-30.			
Entry.	m.c. 2 or 18			
Time.	(3 m.s. 28 m.c. or 3 m.s. 12 m.c. for s ≥ 16 (4 m.s. 28 m.c. or 4 m.s. 12 m.c. for s = 14, 15.			
Parameter.	(2s - 32) as wait no. in m.c. 9 or 25.			
D05/1 Occupies.	m.c.'s 0-15 or 14, 16-24, 26-31			
Entry.	m.c. 0 or 14			
Time.	2 m.s. 30 m.c. or 2 m.s. 14 16 m.c.			


N.B. This subroutine cannot be worked through properly by single-shots with the machine stopped.

mc	a	b	D	C			
						Y	
						X	
						0	
						1	
0	2	21	14	2	2	2	
1	2	24	15	0	0	3	
2	2	30	21	0	1	4	
3	2	26	27	0	3	5	
4	2	24	14	1	10	6	
5	2	14	21	0	0	7	
6	2	27	22	0	2	8	
7	2	1	24	0	2	9	
8	2	7	24	0	30	Y	
9	2	22	21	1	(25-32)27	X	
10	2	22	14	0	0	0	
11	2	15	1	17	19	1	
12	1	4	24	0	16	2	
13						3	
14						4	
15						5	
16						6	
17	2	24	15	0	1	7	
18	2	30	21	0	1	8	
19						9	
20	2	26	27	0	2	Y	
21	2	14	21	0	0	X	
22	2	27	22	0	2	0	
23	2	1	24	0	4	1	
24	2	7	24	0	30	2	
25	2	22	21	1	(25-32)27	3	
26	2	22	14	0	0	4	
27	2	15	1	1	1	5	
28	1	4	24	0	0	6	
29	2	21	14	27	28	7	
30	2	24	14	1	3	17	8
31							9

$2_2 \quad 30 \quad - \quad 21$
 $2_5 \quad 14 \quad - \quad 2_3$
 $2_7 \quad 1 \quad - \quad 24 \quad (\text{start in m.c. 9})$
 $2_{11} \quad 15 \quad - \quad 1_{30}$
 $2_0 \quad 21_2 \quad - \quad 14 \quad (\text{m.c. -})$
 $2_4 \quad 24 \quad - \quad 14 \quad (18 \text{ m.c.})$
 $2_1 \quad 24 \quad - \quad 15$
 $2_3 \quad 26 \quad - \quad 27$



$2_{18} \quad 30 \quad - \quad 21_2$
 $2_{21} \quad 14 \quad - \quad 21_3$
 $2_{23} \quad 1 \quad - \quad 24 \quad (\text{start in m.c. 25})$
 $2_{29} \quad 21_2 \quad - \quad 14 \quad (\text{m.c. 26})$
 $2_{27} \quad 15 \quad - \quad 1_{30}$
 $2_{30} \quad 24 \quad - \quad 14 \quad (15 \text{ m.c.})$
 $2_{17} \quad 24 \quad - \quad 15$
 $2_{26} \quad 26 \quad - \quad 27$



* This instruction can be modified to put the result elsewhere.

For notes on the validity test, see Do1 (no. 34).

FLOW DIAGRAM AND CODING FOR SUBROUTINE No 55. (D05). Division, single-length by single-length with shift and round-off.	Date File Ref. E E Sheet Ref. 56/10/31
NELSON RESEARCH LABORATORIES, THE ENGLISH ELECTRIC CO., LTD. STAFFORD, ENGLAND	